





How to give the right amount of ACETAMINOPHEN (also known as Tylenol) is different depending on which medicine you plan to give.

Dose: For products labeled for children and infants, **DO NOT GIVE MORE THAN 5 DOSES IN 24 HOURS**. For children over 12 years, extra strength tablets/gelcaps can be given every 6 hours. **DO NOT GIVE MORE THAN 6 EXTRA STRENGTH TABLETS/GELCAPS IN 24 HOURS**. Acetaminophen should not be given to children under two years of age without the guidance of a doctor.

Weight →	6 to 11 pounds (3 to 5 kilograms)	12 to 17 pounds (5 to 7 kilograms)	18 to 23 pounds (8 to 10 kilograms)	24 to 35 pounds (11 to 15 kilograms)	36 to 47 pounds (16 to 21 kilograms)	48 to 59 pounds (22 to 26 kilograms)	60 to 71 pounds (27 to 32 kilograms)	72 to 95 pounds (33 to 43 kilograms)	96 pounds or more (44 kilograms or more)
Age →	0 to 3 months	4 to 11 months	12 to 23 months	2 to 3 years	4 to 5 years	6 to 8 years	9 to 10 years	11 years	12 years or older
Infants' Acetaminophen (160 mg / 5 mL)	1.25 mL 	2.5 mL 	3.75 mL 	5 mL 	_____	_____	_____	_____	_____
Children's Acetaminophen (160 mg / 5 mL)	_____	_____	_____	5 mL 	7.5 mL 	10 mL 	12.5 mL 	15 mL 	_____
Children's Acetaminophen Chewables (160 mg)	_____	_____	_____	1 tablet 	1 ½ tablets 	2 tablets 	2 ½ tablets 	3 tablets 	_____
Children's Acetaminophen Dissolvable Packets (160 mg / powder pack)	_____	_____	_____	_____	_____	2 packets 	2 packets 	3 packets 	_____
Adults' Acetaminophen Tablets (325 mg; regular strength)	_____	_____	_____	_____	_____	1 tablet 	1 tablet 	1 tablet 	2 tablets 
Adults' Acetaminophen Tablets (500 mg; extra strength)	_____	_____	_____	_____	_____	_____	_____	_____	2 tablets 

For more information, visit [healthychildren.org/feverpain](https://www.healthychildren.org/feverpain)



healthychildren.org

Powered by pediatricians. Trusted by parents.
from the American Academy of Pediatrics